

SAFETY DATA SHEET

| Issue D | Date (|)1-Jan-2009 | | Revision Da | ate 03-Jan-2 | 023 | | Version | 1 |
|-----------------------|----------|-----------------------------------|-----------------|---|-----------------|--------------|-------------|------------|-------|
| SECTIO | N 1: I | dentification o | f the substa | ance/mixture | and of the | company/u | Indertaking | | |
| 1.1. | Produc | t identifier | | | | | | | |
| Product fo | orm | | : : | Substance | | | | | |
| Trade nam | ne | | : | FJC VACUUM P | UMP OIL. | | | | |
| CAS No | | | : (| 64742-52-5 | | | | | |
| Product co | ode | | :: | 2200, 2200-55, 2 | 202 | | | | |
| | | nt identified uses nce/mixture | | ce or mixture a Vacuum Pump C | | d against | | | |
| Supplie FJC | er Add | | the safety dat | a sheet | | | | | |
| 101 Cor Moores | | ial Drive C 28115 | | | | | | | |
| | | ency telephone nu | | | | c n | | | |
| Emerger | ncy num | ber | | DTRAC 1-352-3)-535-5053 (No | | ernational) | | | |
| SECTIO | N 2: F | lazards identif | | | America) | | | | |
| | | | | | | | | | |
| 2.1. | Classif | cation of the sub | stance or mixt | ure | | | | | |
| Classifica | ation (G | HS-US) | | | | | | | |
| Not classif | fied | | | | | | | | |
| | | | | | | | | | |
| | | - | | | | | | | |
| | | lements | | | | | | | |
| GHS-US I | - | | | | | | | | |
| Signal wor | rd (GHS | -US) | | | | | | | |
| 2.3. | Other h | azards | : ` | Warning | | | | | |
| | | contributing to the | classification: | None under norm | al conditions | | | | |
| | | | | | | | | | |
| 2.4. | Unknov | vn acute toxicity (| GHS-US) | | | | | | |
| No data av | | | , | | | | | | |
| | | | | | | | | | |
| SECTIO | ON 3: 0 | Composition/ir | formation of | on ingredient | ts | | | | |
| 3.1. | Substa | nce | | | | | | | |
| Name | | | : | Distillates (Petro | leum), Hydrotre | ated Heavy N | laphthenic | | |
| CAS No | | | : | 64742-52-5 | - | - | | | |
| EC no | | | : | 265-155-0 | | | | | |
| EC index r | no | | | 649-465-00-7 | | | | | |
| | - | | | | | | | | |
| | | | | | | | | | |
| Name | | | | Product | identifier | | % | Classifica | ation |

| Name | Product identifier | % | Classification (GHS-US) |
|--|---------------------|-------|----------------------------|
| Distillates (Petroleum), Hydrotreated Heavy Naphthenic (Main constituent) | (CAS No) 64742-52-5 | >= 95 | Not classified |
| Full toxt of H phrases: see section 16 | | | |

Full text of H-phrases: see section 16

3.2. Mixture

Not applicable

The exact percentage is a trade secret.

SECTION 4: First aid measures

| 4.1. Description of first aid measures | |
|---|--|
| First-aid measures general | : never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice |
| First-aid measures after inhalation | : Allow victim to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and wa |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |
| 4.2. Most important symptoms and effects | s, both acute and delayed |
| Symptoms/injuries | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| 09/03/2015 | EN (English US) 1/6 |
| | May cause slight irritation. May cause moderate irritation. Red skin. May cause slight eye irritation. May cause severe irritation. Inflammation/damage of the eye tissue. Redness of the eye tissue. |
| Symptoms/injuries after ingestion | : May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways. |
| 4.3. Indication of any immediate medical | attention and special treatment needed |
| No additional information available | |
| SECTION 5: Firefighting measures | |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : No unsuitable extinguishing media known. Do not use a heavy water stream. |
| 5.2. Special hazards arising from the sub- No additional information available | stance or mixture |
| 5.3. Advice for firefighters | |
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
| SECTION 6: Accidental release mease | ures |
| | |
| 6.1. Personal precautions, protective equ General measures | ipment and emergency procedures : Remove ignition sources. |
| 6.1.1. For non-emergency personnel Protective equipment | |
| | : Gloves. Safety glasses. : Evacuate unnecessary personnel. |
| 6.1.2. For emergency responders Protective equipment | |
| | : Equip cleanup crew with proper protection. : Ventilate area. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

| 6.3. | Methods and material for containment and cleaning up | | |
|-----------------------|--|---|--|
| For cont | ainment | : Dam up the liquid spill. Plug the leak, cut off the supply. Contain released substance, pump into suitable containers. | |
| Methods | s for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. | |
| 6.4. | Reference to other sections | | |
| See Hea | ading 8. Exposure controls and personal p | protection. | |
| SECTI | ON 7: Handling and storage | | |
| | | | |
| 7.1. | Precautions for safe handling | | |
| Precauti | ons for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. | |
| Hygiene | measures | : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash affected areas thoroughly after handling. Wash contaminated clothing before reuse. | |
| 7.2. | Conditions for safe storage, includin | g any incompatibilities | |
| Technic | al measures | : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Comply with applicable regulations. | |
| Storage | conditions | : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. | |
| Incompatible products | | : Strong bases. Strong acids. | |
| Incompa | atible materials | : Sources of ignition. Direct sunlight. | |
| 7.3. | Specific end use(s) | | |

Follow Label Directions.

SECTION 8: Exposure controls/personal protection

| 3.1. Control parameters | | | | |
|-----------------------------------|-------------------|--|--|--|
| FJC VACUUM PUMP OIL. (64742-52-5) | | | | |
| USA ACGIH | ACGIH TWA (mg/m³) | 5 mg/m ³ Inhalable fraction | | |

8.2. Exposure controls

Appropriate engineering controls Personal protective equipment

- : Local exhaust venilation, vent hoods.
- : Gloves. Safety glasses. Avoid all unnecessary exposure.



| Hand protection Eye protection | : Wear protective gloves. : Chemical goggles or safety glasses. |
|-----------------------------------|--|
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : Wear appropriate mask. |
| Other information | : Do not eat, drink or smoke during use. |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | | | |
|--|------------------------------------|--|--|
| Physical state | : Liquid | | |
| Appearance | : | | |
| Color | Liquid. : Colourless to yellow. | | |

Odor

| Odor threshold | Petroleum-like odour. Hydrocarbon. |
|---|------------------------------------|
| рН | No data available |
| Relative evaporation rate (butyl acetate=1) | No data available |
| Melting point | No data available |
| Freezing point | No data available |
| Boiling point | No data available |
| Flash point | No data available |
| Auto-ignition temperature | > 154.4 °C |
| Decomposition temperature | > 323.9 °C |
| Flammability (solid, gas) | No data available |
| Vapor pressure | No data available |
| Relative vapor density at 20 °C | No data available |
| Relative density | No data available |
| Solubility | 0.91 |
| Log Pow | Insoluble in water. |
| Log Kow | No data available |
| Viscosity, kinematic | No data available |
| Viscosity, dynamic | 39.86 cSt @ 40 deg C |
| Explosive properties | No data available |
| Oxidizing properties | No data available |
| Explosive limits | No data available |
| | No data available |
| 9.2. Other information | |
| VOC content | : 0% |
| SECTION 10: Stability and reactivity | |

:

| 10.1. | Reactivity |
|-------|------------|

No additional information available

| 10.2. | Chemical stability | | | | |
|---|---|--|--|--|--|
| Not esta | ablished. | | | | |
| | | | | | |
| 0.3. Possibility of hazardous reactions | | | | | |
| Not esta | ablished. | | | | |
| 0.4. | Conditions to avoid | | | | |
| | unlight. Extremely high or low temperatur | 29 | | | |
| | | | | | |
| 10.5. | Incompatible materials | | | | |
| Strong a | acids. Strong bases. | | | | |
| | | | | | |
| | | | | | |
| 10.6. | Hazardous decomposition products | | | | |
| | me Carbon monoxide. Carbon dioxide. | | | | |
| SECT | ION 11: Toxicological informati | ion | | | |
| | | | | | |
| 11.1. | Information on toxicological effects | | | | |
| | | | | | |
| Acute to | oxicity | : Not classified | | | |
| | | | | | |
| | ACUUM PUMP OIL. (\f)64742-52-5 | 5000 ml/lum | | | |
| | oral rat | > 5000 ml/kg | | | |
| | dermal rabbit | > 2000 mg/kg | | | |
| LC50 | inhalation rat (mg/l) | 2.18 mg/l/4h | | | |
| Skin oo | rrosion/irritation | : Not classified | | | |
| | eye damage/irritation | : Not classified | | | |
| | tory or skin sensitization | : Not classified | | | |
| | ell mutagenicity | : Not classified | | | |
| Carcinogenicity : | | : Not classified | | | |
| | | | | | |
| | | | | | |
| • | uctive toxicity | : Not classified | | | |
| Specific | target organ toxicity (single exposure) | : Not classified | | | |
| | | | | | |
| Specific | target organ toxicity (repeated | : Not classified | | | |
| exposur | re) | | | | |
| | | | | | |
| Aspiratio | on hazard | : Not classified | | | |
| • | al Adverse human health effects and | : Based on available data, the classification criteria are not met. | | | |
| symptor | | | | | |
| | ms/injuries after skin contact | : May cause slight irritation . May cause moderate irritation. Red skin. | | | |
| Sympto | ms/injuries after eye contact | : May cause slight eye irritation . May cause severe irritation. Inflammation/damage of the eye tissue. Redness of the eye tissue. | | | |
| Sympto | ms/injuries after ingestion | : May be harmful if swallowed and enters airways. May be fatal if swallowed and enters airways | | | |
| | ION 12: Ecological information | | | | |
| | | | | | |
| 12.1. | Toxicity | | | | |
| Ecology | | : TA-Luft Klasse 5.2.7.1.1/II. | | | |
| LCOIOGY | r - water | : Severe water pollutant (surface water). Ground water pollutant. | | | |
| FJC V | ACUUM PUMP OIL. (64742-52-5) | | | | |
| | Daphnia 1 | > 1000 mg/l 48 HOURS | | | |
| _000 | | | | | |

| Persistence and degradability | Not established. |
|--|--|
| | |
| 2.3. Bioaccumulative potential | |
| FJC VACUUM PUMP OIL. (64742-52-5) | |
| Bioaccumulative potential | Not established. |
| | |
| 2.4. Mobility in soil | |
| o additional information available | |
| | |
| | |
| 2.5. Other adverse effects | |
| ther information | : Avoid release to the environment. |
| 3.1. Waste treatment methods /aste disposal recommendations | : Remove to an authorized waste collection point. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or |
| | create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessa measures to prevent risks of pollution or damage to people or animals. Use appropriate containment to avoid environmental contamination. Dispose in a safe manner in accordance |
| dditional information | with local/national regulations. |
| cology - waste materials | : Hazardous waste according to Directive 2008/98/EC. : Avoid release to the environment. |
| | |
| ECTION 14: Transport informa | |
| accordance with ADR / RID / IMDG / IA | FA / ADI |
| S DOT (ground): Not regulated, | |
| | |
| CAO/IATA (air): Not regulated, | |

| Proper Shipping Name (DOT) | : Not regulated |
|---------------------------------------|---|
| · · · · · · · · · · · · · · · · · · · | |
| | |
| 14.3. Additional information | |
| | |
| Other information | : No supplementary information available. |
| | |

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

| 15.1. US Federal regulations | | |
|---|---------------------------------|--|
| FJC VACUUM PUMP OIL. (64742-52-5) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | |

15.2. International regulations

| CANADA | | |
|--------|--|--|
| | FJC VACUUM PUMP OIL. (64742-52-5) | |
| | Listed on the Canadian DSL (Domestic Sustances List) | |

EU-Regulations FJC VACUUM PUMP OIL. (64742-52-5) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP] Carc. 1B H350

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xn; R20

Full text of R-phrases: see section 16

15.2.2. National regulations FJC VACUUM PUMP OIL. (64742-52-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

| NFPA health hazard | : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given. |
|--------------------|--|
| NFPA fire hazard | : 1 - Must be preheated before ignition can occur. |
| NFPA reactivity | : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water. |
| HMIS III Rating | |

| Health | : 2 Moderate Hazard - Temporary or minor injury may occur |
|---------------------|---|
| Flammability | : 1 Slight Hazard |
| Physical | : 0 Minimal Hazard |
| Personal Protection | : B |

SDS US (GHS HazCom 2012) - TCC

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet